

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

1082T 2594660




FIG. 1

SAMPLE	TREATMENT
MW	MOLECULAR WEIGHT MARKER
CTRL	NEGATIVE CONTROL (LEFT IN BUFFER FOR THE WHOLE LENGTH OF THE EXPERIMENT)
1	5 min, 2v, DC
2	2 min, 2v, DC
3	5 min, 8v, DC
4	5 min, 4v, DC
5	5 min, 2v, DC
6	15 min, 4v, DC
7	5 min, 1v, DC

CTRL
MW | 1 2 3 4 5 6 7




FIG. 2

090457-14201

SAMPLE	TREATMENT
1	5 min, 8v, DC
2	4 min, 8v, DC
3	3 min, 8v, DC
4	2 min, 8v, DC
5	1 min, 8v, DC
CRTL	NEGATIVE CONTROL (LEFT IN BUFFER FOR THE WHOLE LENGTH OF THE EXPERIMENT)

MW 1 2 3 4 5 CRTL



FIG. 3

1 2 3 4 5 6 7 8 9 10 11 12 M




FIG. 4

05994657-112801




FIG.5